

In the Claims

The status of claims in the case is as follows:

1. [Currently amended] A method for client/server communications in a requisition and catalog system including a server and a client browser, comprising the steps of:

loading to [[a]] said browser at said client a frame set including a function frame, a data accumulation frame, a header frame, and a content frame;

during an initialization phase,

loading general navigation parameters for a requisition and catalog application to said navigation frame;

initially loading application code including footer functions, data objects, and global variables for said application from said server to said function frame at said client, said function frame for storing functions and variables that are called by code in all other frames of said frame

END920000174

2

S/N 09/815,316

set;

loading said data accumulation frame with non-functional content consisting of requisition and catalog system application specific data input fields;

executing said footer functions to establish a user entry page in said content frame;

executing an on load event to load a welcome page to said content frame signaling a user that said application is ready to use;

responsive to user interaction with said content frame, executing said application code at said client without further communication to said server to enable said user to select functions and enter data, said functions including

setting data objects and global variables to said function frame;

filling said content frame from a server view;

END920000174

3

S/N 09/815,316

loading database data to said data accumulation frame;

executing footer functions called from said content frame, said function frame, said data accumulation frame, and said function frame;

accumulating user data for subsequent transfer to said server from said data accumulation frame;

executing application selected by said user from said content frame and said navigation frame; and

validating data before transfer to said server from said data accumulation frame;

during a create new requisition phase,

calling from said server and loading to said data accumulation frame a full complement of requisition fields for establishing a requisition shell to which requisition items can be added by said user;

END920000174

4

S/N 09/815,316

executing an on load event when said data accumulation frame finishes loading to call script functions from said footer frame for dynamically writing html code to said content frame to establish a user entry page; and

setting data objects and global variables in said function frame based on user and requisition variables;

responsive to user selection of a draft requisitions application,

filling said content frame with a list of requisitions said user may open;

responsive to user selection of a selected requisition from said list of requisitions, retrieving requisition information from storage location and loading said data accumulation frame with values set as they were when said selected requisition was last saved;

upon said data accumulation frame being loaded

END920000174

5

S/N 09/815,316

with said values, executing an on load event to call script functions from said function frame that, with reference to said data accumulation frame dynamically writes html code to said content frame to establish a user entry/interaction page;
and

executing script functions from said function frame responsive to user interaction with said user entry/interaction page to create a complete requisition.

2-32. [Canceled]

33. [New] A computer program product for client/server communications in a requisition and catalog system including a server and a client browser, said computer program product comprising:

a computer readable medium;

first program instructions to load to said browser at said client a frame set including a function frame, a

END920000174

6

S/N 09/815,316

data accumulation frame, a header frame, and a content frame;

second program instructions, during an initialization phase,

to load general navigation parameters for a requisition and catalog application to said navigation frame;

to load application code including footer functions, data objects, and global variables for said application from said server to said function frame at said client, said function frame for storing functions and variables that are called by code in all other frames of said frame set;

to load said data accumulation frame with non-functional content consisting of requisition and catalog system application specific data input fields;

to execute said footer functions to establish a user entry page in said content frame; and

END920000174

7

S/N 09/815,316

to execute an on load event to load a welcome page
to said content frame signaling a user that said
application is ready to use;

third program instructions, responsive to user
interaction with said content frame, to execute said
application code at said client without further
communication to said server to enable said user to
select functions and enter data, said functions
including

setting data objects and global variables to said
function frame;

filling said content frame from a server view;

loading database data to said data accumulation
frame;

executing footer functions called from said
content frame, said function frame, said data
accumulation frame, and said function frame;

accumulating user data for subsequent transfer to

END920000174

8

S/N 09/815,316

said server from said data accumulation frame;

executing an application selected by said user
from said content frame and said navigation frame;
and

validating data before transfer to said server
from said data accumulation frame;

fourth program instructions, during a create new
requisition phase,

to call from said server and load to said data
accumulation frame a full complement of
requisition fields for establishing a requisition
shell to which requisition items can be added by
said user;

to execute an on load event when said data
accumulation frame finishes loading to call script
functions from said footer frame for dynamically
writing html code to said content frame to
establish a user entry page; and

END920000174

9

S/N 09/815,316

to set data objects and global variables in said function frame based on user and requisition variables;

fifth program instructions, responsive to user selection of a draft requisitions application,

to fill said content frame with a list of requisitions said user may open;

responsive to user selection of a selected requisition from said list of requisitions, to retrieve requisition information from storage location and load said data accumulation frame with values set as they were when said selected requisition was last saved;

upon said data accumulation frame being loaded with said values, to execute an on load event to call script functions from said function frame that, with reference to said data accumulation frame, dynamically writes html code to said content frame to establish a user entry/interaction page; and

END920000174

10

S/N 09/815,316

to execute script functions from said function frame responsive to user interaction with said user entry/interaction page to create a complete requisition; and wherein

said first, second, third, fourth, and fifth program instructions are recorded on said medium.

END920000174

11

S/N 09/815,316